



VELPRESS

PRESS-FIT CONNECTION SYSTEM



Velpress Press-Fit Connection System is always cost effective in material, time and labour. Velpress offers a simple installation method that does not require brazing. The Velpress Press Fit Connection System is fully certified, reliable and simple to use, secure with permanent joints, practical design, leak indicator and flame-free installation.



VELPRESS - VELPRESS XL FITTINGS

velpress 15-50mm Fittings



Velpex Adaptor



Brass Male Coupling



Brass Male Union



Slip Coupling



90 Degree Elbow



45 Degree Elbow



Equal Tee



Unequal Tee



Reducer Coupler



Straight Coupling



End Cap



Fittings Reducer

velpress XL 65-100mm Fittings



Slip Coupling



Fitting Reducer



Straight Coupling



Reducing Coupling



End Cap



45 Degree Elbow



90 Degree Elbow



Equal Tee

LEAK BY-PASS O-RING

Velpress fittings use a unique Leak by-pass O-Ring that allows for quick visual recognition of uncrimped fittings during testing.



VELPRESS NOVOPRESS KITS



Velpress Mini Jaws
* Suits Novopress ACO153



Velpress Jaws
* Suits Novopress ACO203



Velpress XL Jaw Adapter
* Suits Novopress ACO203



Velpress XL Ring Jaws
* Suits Novopress ACO203
with Jaw Adapter



Velpress Mini Tool Kit 15-32



Velpress Tool and Jaw Kit 15-50



Velpress Jaw Kit 40-50



Velpress XL Jaw Kit 65-100 * Suits Novopress ACO203