

Fire  **Rating**
by  **DRILLFAST**

FIRE COLLARS
UNIQUE DESIGN & PERFORMANCE



CAST-IN FIRE COLLARS



Stack work	
40-50mm	PVC, HDPE
40-65mm	PVC, HDPE
65-100mm	PVC, HDPE
150mm	PVC, HDPE, PPR

Floor waste	
40-50mm	PVC, HDPE, PPR
65-100mm	PVC, HDPE, PPR
150mm	PVC



Stack work application

Up to 4 hr PVC & HDPE Rated
Patented spring closure technology
Closes penetration in 1-3 minutes
The only smoke & fire collar
Fully certified as per AS4072.1 & AS1530.4



Floor waste application

The only one piece floor waste approved fire collar
Meets building code 3 hr integrity & 3 hr insulation
Exceeds smoke leakage requirements @ 1000°C
Fully Certified as per AS4072.1 & AS1530.4

RETRO FIT FIRE COLLARS



Stack work
32-315mm PVC, PE

Floor waste
Up to 4 hr PVC rated



Stack work & wall application

Prevent the spread of fire where PVC & PE pipes are used
Used where pipes penetrate fire walls/floors
Up to 4 hr AS1530:4, AS4072:1 tested & approved



Floor waste application

Up to 4 hr PVC rated
Patented spring closure technology



Fire Sealant

- Offers movement accommodation and temperature stability
- UV resistance and ageing characteristics
- Resistance to fire to a rating up to 4 hours



Unicollar

- A segmented universal fire collar for custom applications
- Suitable for up to 100mm pipe diameter



Gas fire collars

- Revolutionary CXL fire collars
- The only collar of its kind
- Floor & wall CXL gas pipe penetrations

Code	Colour	Size	Qty
SAUSAGE			
22FS600	Grey	600ml	15
22FS600PAN	P'seal Grey	600ml	12
CARTRIDGE			
22FS300	Grey	300ml	20
229922	P'seal Grey	300ml	12

Code	Length	Qty
22UC	2250mm	8
22FSC32	32mm	10

TOTAL TECHNICAL MANAGEMENT

We are your partner for fire rated installation. We can help customers with technical issues, quantities and regulation when planning your next project.

From our rapid 3 minutes closing, spring loaded, floor waste and stack cast in fire collars, to our flexible collar or fire rated mastics, we can provide you with a fully approved and certified fire stop system for every project.

With Retro fit fire collars up to an amazing 315mm diameter, we can safely fire rate even those large PVC & HDPE pipes.