

Q FLEX HANGING SYSTEM





SUPERIOR HANGING TECHNOLOGY

17ZCR2

The 17ZCR2 range was introduced to work on most light hanging applictions.

It can be used to hang fluorescent lights, speakers, busbar and cable tray to name just some of the applications.

17ZCR3

The 17ZCR3 range can be used to hang heavy cable baskets and HID lights. Also used in Seismic applications subject to design requirements.

17ZCR4

The 17ZCR4 range is perfect for hanging sound systems and heavy cable trays.

17ZCR6

The 17ZCR6 range is the largest of the series with the highest load limits. Also used in heavy duty Seismic bracing applications.

Code	Typical Application	Wide Rope Diameter	Load Rating
17ZCR2	Lights, Speakers, Cable tray	2.0mm	5-55 kg
17ZCR3	Heavy cable basket, HID Lights	3.0 mm	12-120 kg
17ZCR4	Sound system, Heavy cable tray	4.0 mm	25-180 kg
17ZCR6	Heavy Duty Installations	6.0 mm	Subject to usage

The Q-Flex system includes fixings and sizes to support all mechanical services including square and round duct work, fan coil units, chiller beams, plenums, pipe work and other related items into or onto any surface, whether it be concrete, bondek, purlins or beams.

Code	Description
17CAT1-200	1mm x 200m
17CAT2-250	2mm x 250m
17CAT2-500	2mm x 500m
17CAT2-1000	2mm x 1000m
17CAT3-50	3mm x 50m
17CAT3-100	3mm x 100m
17CAT3-250	3mm x 250m
17CAT3-1000	3mm x 1000m
17CAT4-50	4mm x 50m
17CAT6-50	6mm x 50m
17CAT6-100	6mm x 100m





THE Q-FLEX SYSTEM CONTINUES TO INNOVATE WITH MORE FLEXIBLITY BUILT-IN TO EVERY CLIP

Q - FLEX ENDS



TIE WIRE ENDTie wire ends are a simple drill and hammer masonry anchor system.



TOGGLE END

The system consists of wire and
Q-Flex with a toggle termination.



SHOT FIRE END

The fastest way to fix to bondek type surface using a powder actuated gun.




CLIP END
The clip uses a tradtional purlin clip for securing lighting or cable tray to the lip of a purlin.



ANGLE END
Suitable for concrete slab, metal
decking and other steel
structures, wooden structures.



DECK END
Suitable for decking applications for structural metal decks and other steel decking types.



LOOP END
The loop end provides a fast & simple methon to loop over purlins without the need for any fixing.



SNAP END
For snapping onto purlin hangers, chilled beams, lighting, heating panels, signage, attached to existing structures.



THREAD END
Suitable for concrete, lindapter
wedges, busbar, lighting trunking,
ducting, cable management and
signage.



45° BRACING BRACKET



Code	Pack QTY
17ZCB	100



Code	Pack QTY
17ZRB	100



Code	Pack QTY
17ZCB-HD	100

STANDARD A bracing bracket commonly used as an anchor point in sesmic installations where bracing is required.

RETROFIT

Retrofit Bracket perfect for bracing when the services have already been installed.

HEAVY DUTYSuitable for supporting or bracing where additional strength is required.

TOOLS



Code	Description	QTY
17QFTEN	Q-Flex Tensioner Tool	1

Heavy Duty Wire Cutters

Code	Description	QTY
17QFCUT	Q-Flex Cutter Tool	1

Drillfast also sell a complete range of fixings & accessories for the Q-Flex system. Ask us what is most suitable for your next project.